



Checklist of the Birds of Ontario

L - Species recorded in the Lowlands Review Zone; C - Species recorded in the Central Review Zone; S - Species recorded in the South Review Zone.

() indicates the OBRC requires documentation when the species is recorded in the region.

* - Species recorded as breeding in Ontario.

Black-bellied Whistling-Duck (S) <i>Dendrocygna autumnalis</i>	Ross's Gull (L)/(S) <i>Rhodostethia rosea</i>	Cave Swallow S <i>Petrochelidon fulva</i>
Fulvous Whistling-Duck (S) <i>Dendrocygna bicolor</i>	Laughing Gull (L)/(C)/S <i>Leucophaeus atricilla</i>	Carolina Chickadee (S) <i>Poecile carolinensis</i>
*Snow Goose L/C/S <i>Anser caerulescens</i>	Franklin's Gull (L)/C/S <i>Leucophaeus pipixcan</i>	*Black-capped Chickadee L/C/S <i>Poecile atricapillus</i>
*Ross's Goose L/C/S <i>Anser rossii</i>	Black-tailed Gull (S) <i>Larus crassirostris</i>	*Boreal Chickadee L/C/S <i>Poecile hudsonicus</i>
Greater White-fronted Goose (L)/C/S <i>Anser albifrons</i>	Heermann's Gull (S) <i>Larus heermanni</i>	*Tufted Titmouse S <i>Baeolophus bicolor</i>
Tundra Bean-Goose (S) <i>Anser serrirostris</i>	Common Gull (S) <i>Larus canus</i>	*Red-breasted Nuthatch L/C/S <i>Sitta canadensis</i>
Pink-footed Goose (S) <i>Anser brachyrhynchus</i>	Short-billed Gull (C)/(S) <i>Larus brachyrhynchus</i>	*White-breasted Nuthatch (L)/C/S <i>Sitta carolinensis</i>
Brant L/C/S <i>Branta bernicla</i>	*Ring-billed Gull L/C/S <i>Larus delawarensis</i>	*Brown Creeper L/C/S <i>Certhia americana</i>
Barnacle Goose (S) <i>Branta leucopsis</i>	*California Gull (L)/(C)/(S) <i>Larus californicus</i>	Rock Wren (C)/(S) <i>Salpinctes obsoletus</i>
Cackling Goose L/C/S <i>Branta hutchinsii</i>	*Herring Gull L/C/S <i>Larus argentatus</i>	*House Wren (L)/C/S <i>Troglodytes aedon</i>
*Canada Goose L/C/S <i>Branta canadensis</i>	Iceland Gull L/C/S <i>Larus glaucooides</i>	*Winter Wren L/C/S <i>Troglodytes hiemalis</i>
*Mute Swan (L)/C/S <i>Cygnus olor</i>	Lesser Black-backed Gull (L)/C/S <i>Larus fuscus</i>	*Sedge Wren L/C/S <i>Cistothorus platensis</i>
*Trumpeter Swan (L)/C/S <i>Cygnus buccinator</i>	Slaty-backed Gull (C)/(S) <i>Larus schistisagus</i>	*Marsh Wren L/C/S <i>Cistothorus palustris</i>
*Tundra Swan L/C/S <i>Cygnus columbianus</i>	Glaucous-winged Gull (S) <i>Larus glaucescens</i>	*Carolina Wren (L)/C/S <i>Thryothorus ludovicianus</i>
*Wood Duck L/C/S <i>Aix sponsa</i>	Glaucous Gull L/C/S <i>Larus hyperboreus</i>	*Bewick's Wren (C)/(S) <i>Thryomanes bewickii</i>
Garganey (C)/(S) <i>Spatula querquedula</i>	*Great Black-backed Gull L/C/S <i>Larus marinus</i>	Yellow-browed Warbler (S) <i>Phylloscopus inornatus</i>
*Blue-winged Teal L/C/S <i>Spatula discors</i>	Kelp Gull (S) <i>Larus dominicanus</i>	*Blue-gray Gnatcatcher (L)/(C)/S <i>Poliophtila caerulea</i>
*Cinnamon Teal (C)/(S) <i>Spatula cyanoptera</i>	Sooty Tern (S) <i>Onychoprion fuscatus</i>	*Golden-crowned Kinglet L/C/S <i>Regulus satrapa</i>
*Northern Shoveler L/C/S <i>Spatula clypeata</i>	Least Tern (C)/(S) <i>Sternula antillarum</i>	*Ruby-crowned Kinglet L/C/S <i>Regulus calendula</i>



Checklist of the Birds of Ontario

L - Species recorded in the Lowlands Review Zone; C - Species recorded in the Central Review Zone; S - Species recorded in the South Review Zone.

() indicates the OBRC requires documentation when the species is recorded in the region.

* - Species recorded as breeding in Ontario.

*Gadwall L/C/S <i>Mareca strepera</i>	*Caspian Tern L/C/S <i>Hydroprogne caspia</i>	Siberian Rubythroat (S) <i>Calliope calliope</i>
Eurasian Wigeon (L)/(C)/S <i>Mareca penelope</i>	*Black Tern L/C/S <i>Chlidonias niger</i>	Northern Wheatear (L)/(C)/(S) <i>Oenanthe oenanthe</i>
*American Wigeon L/C/S <i>Mareca americana</i>	White-winged Tern (S) <i>Chlidonias leucopterus</i>	*Eastern Bluebird L/C/S <i>Sialia sialis</i>
*Mallard L/C/S <i>Anas platyrhynchos</i>	*Common Tern L/C/S <i>Sterna hirundo</i>	Mountain Bluebird (L)/(C)/(S) <i>Sialia currucoides</i>
*American Black Duck L/C/S <i>Anas rubripes</i>	*Arctic Tern L/(C)/S <i>Sterna paradisaea</i>	Townsend's Solitaire (L)/C/S <i>Myadestes townsendi</i>
Mottled Duck (S) <i>Anas fulvigula</i>	*Forster's Tern (L)/(C)/S <i>Sterna forsteri</i>	*Veery (L)/C/S <i>Catharus fuscescens</i>
*Northern Pintail L/C/S <i>Anas acuta</i>	Royal Tern (S) <i>Thalasseus maximus</i>	*Gray-cheeked Thrush L/C/S <i>Catharus minimus</i>
*Green-winged Teal L/C/S <i>Anas crecca</i>	Sandwich Tern (S) <i>Thalasseus sandvicensis</i>	Bicknell's Thrush (S) <i>Catharus bicknelli</i>
*Canvasback L/C/S <i>Aythya valisineria</i>	Elegant Tern (S) <i>Thalasseus elegans</i>	*Swainson's Thrush L/C/S <i>Catharus ustulatus</i>
*Redhead L/C/S <i>Aythya americana</i>	Black Skimmer (C)/(S) <i>Rynchops niger</i>	*Hermit Thrush L/C/S <i>Catharus guttatus</i>
*Ring-necked Duck L/C/S <i>Aythya collaris</i>	*Red-throated Loon L/C/S <i>Gavia stellata</i>	*Wood Thrush (L)/C/S <i>Hylocichla mustelina</i>
Tufted Duck (C)/(S) <i>Aythya fuligula</i>	*Pacific Loon L/(C)/S <i>Gavia pacifica</i>	Eurasian Blackbird (S) <i>Turdus merula</i>
*Greater Scaup L/C/S <i>Aythya marila</i>	*Common Loon L/C/S <i>Gavia immer</i>	Fieldfare (S) <i>Turdus pilaris</i>
*Lesser Scaup L/C/S <i>Aythya affinis</i>	Yellow-billed Loon (S) <i>Gavia adamsii</i>	*American Robin L/C/S <i>Turdus migratorius</i>
*King Eider L/(C)/S <i>Somateria spectabilis</i>	Yellow-nosed Albatross (S) <i>Thalassarche chlororhynchos</i>	Varied Thrush (L)/C/S <i>Ixoreus naevius</i>
*Common Eider L/(S) <i>Somateria mollissima</i>	Wilson's Storm-Petrel (S) <i>Oceanites oceanicus</i>	*Gray Catbird L/C/S <i>Dumetella carolinensis</i>
Harlequin Duck (L)/(C)/S <i>Histrionicus histrionicus</i>	Leach's Storm-Petrel (L)/(S) <i>Hydrobates leucorhous</i>	*Brown Thrasher L/C/S <i>Toxostoma rufum</i>
*Surf Scoter L/C/S <i>Melanitta perspicillata</i>	Band-rumped Storm-Petrel (S) <i>Hydrobates castro</i>	Sage Thrasher (C)/(S) <i>Oreoscoptes montanus</i>
*White-winged Scoter L/C/S <i>Melanitta deglandi</i>	Northern Fulmar (L)/(C)/(S) <i>Fulmarus glacialis</i>	*Northern Mockingbird (L)/C/S <i>Mimus polyglottos</i>



Checklist of the Birds of Ontario

L - Species recorded in the Lowlands Review Zone; C - Species recorded in the Central Review Zone; S - Species recorded in the South Review Zone.

() indicates the OBRC requires documentation when the species is recorded in the region.

* - Species recorded as breeding in Ontario.

*Black Scoter L/C/S <i>Melanitta americana</i>	Black-capped Petrel (S) <i>Pterodroma hasitata</i>	*European Starling L/C/S <i>Sturnus vulgaris</i>
*Long-tailed Duck L/C/S <i>Clangula hyemalis</i>	Short-tailed/Sooty Shearwater (L) #N/A	*Bohemian Waxwing L/C/S <i>Bombycilla garrulus</i>
*Bufflehead L/C/S <i>Bucephala albeola</i>	Great Shearwater (S) <i>Ardenna gravis</i>	*Cedar Waxwing L/C/S <i>Bombycilla cedrorum</i>
*Common Goldeneye L/C/S <i>Bucephala clangula</i>	Manx Shearwater (S) <i>Puffinus puffinus</i>	Phainopepla (S) <i>Phainopepla nitens</i>
Barrow's Goldeneye (L)/(C)/S <i>Bucephala islandica</i>	Audubon's Shearwater (S) <i>Puffinus lherminieri</i>	*House Sparrow (L)/C/S <i>Passer domesticus</i>
Smew (S) <i>Mergellus albellus</i>	Wood Stork (S) <i>Mycteria americana</i>	Eurasian Tree Sparrow (C)/(S) <i>Passer montanus</i>
*Hooded Merganser L/C/S <i>Lophodytes cucullatus</i>	Magnificent Frigatebird (S) <i>Fregata magnificens</i>	White Wagtail (S) <i>Motacilla alba</i>
*Common Merganser L/C/S <i>Mergus merganser</i>	Brown Booby (S) <i>Sula leucogaster</i>	*American Pipit L/C/S <i>Anthus rubescens</i>
*Red-breasted Merganser L/C/S <i>Mergus serrator</i>	Northern Gannet (L)/(S) <i>Morus bassanus</i>	Sprague's Pipit (L)/(C) <i>Anthus spragueii</i>
*Ruddy Duck L/C/S <i>Oxyura jamaicensis</i>	Neotropic Cormorant (S) <i>Phalacrocorax brasilianus</i>	Brambling (C)/(S) <i>Fringilla montifringilla</i>
*Northern Bobwhite S <i>Colinus virginianus</i>	*Double-crested Cormorant L/C/S <i>Phalacrocorax auritus</i>	*Evening Grosbeak L/C/S <i>Coccothraustes vespertinus</i>
*Gray Partridge (C)/S <i>Perdix perdix</i>	Great Cormorant (S) <i>Phalacrocorax carbo</i>	*Pine Grosbeak L/C/S <i>Pinicola enucleator</i>
*Ring-necked Pheasant C/S <i>Phasianus colchicus</i>	Anhinga (S) <i>Anhinga anhinga</i>	Gray-crowned Rosy-Finch (C)/(S) <i>Leucosticte tephrocotis</i>
*Ruffed Grouse L/C/S <i>Bonasa umbellus</i>	*American White Pelican L/C/S <i>Pelecanus erythrorhynchos</i>	*House Finch (L)/C/S <i>Haemorhous mexicanus</i>
*Spruce Grouse L/C/S <i>Falcipennis canadensis</i>	Brown Pelican (C)/(S) <i>Pelecanus occidentalis</i>	*Purple Finch L/C/S <i>Haemorhous purpureus</i>
*Willow Ptarmigan L/(C)/(S) <i>Lagopus lagopus</i>	*American Bittern L/C/S <i>Botaurus lentiginosus</i>	Cassin's Finch (S) <i>Haemorhous cassinii</i>
Rock Ptarmigan (L) <i>Lagopus muta</i>	*Least Bittern (C)/S <i>Ixobrychus exilis</i>	*Common Redpoll L/C/S <i>Acanthis flammea</i>
*Sharp-tailed Grouse L/C/S <i>Tympanuchus phasianellus</i>	*Great Blue Heron L/C/S <i>Ardea herodias</i>	*Hoary Redpoll L/C/S <i>Acanthis hornemanni</i>
*Greater Prairie-Chicken (C)/(S) <i>Tympanuchus cupido</i>	*Great Egret (L)/(C)/S <i>Ardea alba</i>	*Red Crossbill L/C/S <i>Loxia curvirostra</i>



Checklist of the Birds of Ontario

L - Species recorded in the Lowlands Review Zone; C - Species recorded in the Central Review Zone; S - Species recorded in the South Review Zone.

() indicates the OBRC requires documentation when the species is recorded in the region.

* - Species recorded as breeding in Ontario.

*Wild Turkey C/S <i>Meleagris gallopavo</i>	Little Egret (S) <i>Egretta garzetta</i>	*White-winged Crossbill L/C/S <i>Loxia leucoptera</i>
*Pied-billed Grebe L/C/S <i>Podilymbus podiceps</i>	*Snowy Egret (L)/(C)/S <i>Egretta thula</i>	*Pine Siskin L/C/S <i>Spinus pinus</i>
*Horned Grebe L/C/S <i>Podiceps auritus</i>	Little Blue Heron (L)/(C)/(S) <i>Egretta caerulea</i>	Lesser Goldfinch (S) <i>Spinus psaltria</i>
*Red-necked Grebe L/C/S <i>Podiceps grisegena</i>	Tricolored Heron (C)/(S) <i>Egretta tricolor</i>	*American Goldfinch L/C/S <i>Spinus tristis</i>
*Eared Grebe (L)/C/S <i>Podiceps nigricollis</i>	Reddish Egret (S) <i>Egretta rufescens</i>	*Lapland Longspur L/C/S <i>Calcarius lapponicus</i>
Western Grebe (C)/S <i>Aechmophorus occidentalis</i>	*Cattle Egret (L)/(C)/S <i>Bubulcus ibis</i>	Chestnut-collared Longspur (L)/(C)/(S) <i>Calcarius ornatus</i>
*Rock Pigeon L/C/S <i>Columba livia</i>	*Green Heron (C)/S <i>Butorides virescens</i>	*Smith's Longspur L/(C)/(S) <i>Calcarius pictus</i>
White-crowned Pigeon (S) <i>Patagioenas leucocephala</i>	*Black-crowned Night-Heron (C)/S <i>Nycticorax nycticorax</i>	McCown's Longspur (C) <i>Rhynchophanes mccownii</i>
Band-tailed Pigeon (L)/(C)/(S) <i>Patagioenas fasciata</i>	Yellow-crowned Night-Heron (S) <i>Nyctanassa violacea</i>	Snow Bunting L/C/S <i>Plectrophenax nivalis</i>
Eurasian Collared-Dove C/S <i>Streptopelia decaocto</i>	White Ibis (S) <i>Eudocimus albus</i>	Cassin's Sparrow (C)/(S) <i>Peucaea cassinii</i>
*Passenger Pigeon L/C/S (Extinct) <i>Ectopistes migratorius</i>	Glossy Ibis (C)/S <i>Plegadis falcinellus</i>	Bachman's Sparrow (S) <i>Peucaea aestivalis</i>
Inca Dove (C)/(S) <i>Columbina inca</i>	White-faced Ibis (C)/(S) <i>Plegadis chihi</i>	*Grasshopper Sparrow (C)/S <i>Ammodramus savannarum</i>
Common Ground Dove (C)/(S) <i>Columbina passerina</i>	Roseate Spoonbill (S) <i>Platalea ajaja</i>	Black-throated Sparrow (C)/(S) <i>Amphispiza bilineata</i>
White-winged Dove (L)/C/S <i>Zenaida asiatica</i>	Black Vulture (C)/S <i>Coragyps atratus</i>	*Lark Sparrow (L)/C/S <i>Chondestes grammacus</i>
*Mourning Dove L/C/S <i>Zenaida macroura</i>	*Turkey Vulture (L)/C/S <i>Cathartes aura</i>	Lark Bunting (L)/(C)/(S) <i>Calamospiza melanocorys</i>
Groove-billed Ani (C)/(S) <i>Crotophaga sulcirostris</i>	*Osprey L/C/S <i>Pandion haliaetus</i>	*Chipping Sparrow L/C/S <i>Spizella passerina</i>
*Yellow-billed Cuckoo (L)/C/S <i>Coccyzus americanus</i>	Swallow-tailed Kite (C)/(S) <i>Elanoides forficatus</i>	*Clay-colored Sparrow L/C/S <i>Spizella pallida</i>
*Black-billed Cuckoo (L)/C/S <i>Coccyzus erythrophthalmus</i>	*Golden Eagle L/C/S <i>Aquila chrysaetos</i>	*Field Sparrow (L)/(C)/S <i>Spizella pusilla</i>
Lesser Nighthawk (S) <i>Chordeiles acutipennis</i>	*Northern Harrier L/C/S <i>Circus hudsonius</i>	Brewer's Sparrow (C) <i>Spizella breweri</i>



Checklist of the Birds of Ontario

L - Species recorded in the Lowlands Review Zone; C - Species recorded in the Central Review Zone; S - Species recorded in the South Review Zone.

() indicates the OBRC requires documentation when the species is recorded in the region.

* - Species recorded as breeding in Ontario.

*Common Nighthawk L/C/S <i>Chordeiles minor</i>	*Sharp-shinned Hawk L/C/S <i>Accipiter striatus</i>	*Fox Sparrow L/C/S <i>Passerella iliaca</i>
Common Poorwill (L) <i>Phalaenoptilus nuttallii</i>	*Cooper's Hawk (L)/C/S <i>Accipiter cooperii</i>	*American Tree Sparrow L/C/S <i>Spizelloides arborea</i>
*Chuck-will's-widow S <i>Antrostomus carolinensis</i>	*Northern Goshawk L/C/S <i>Accipiter gentilis</i>	*Dark-eyed Junco L/C/S <i>Junco hyemalis</i>
*Eastern Whip-poor-will (L)/C/S <i>Antrostomus vociferus</i>	*Bald Eagle L/C/S <i>Haliaeetus leucocephalus</i>	*White-crowned Sparrow L/C/S <i>Zonotrichia leucophrys</i>
Black Swift (S) <i>Cypseloides niger</i>	Mississippi Kite S <i>Ictinia mississippiensis</i>	Golden-crowned Sparrow (C)/(S) <i>Zonotrichia atricapilla</i>
White-collared Swift (S) <i>Streptoprocne zonaris</i>	*Red-shouldered Hawk (L)/C/S <i>Buteo lineatus</i>	*Harris's Sparrow L/C/S <i>Zonotrichia querula</i>
*Chimney Swift (L)/C/S <i>Chaetura pelagica</i>	*Broad-winged Hawk L/C/S <i>Buteo platypterus</i>	*White-throated Sparrow L/C/S <i>Zonotrichia albicollis</i>
Mexican Violetear (C) <i>Colibri thalassinus</i>	Swainson's Hawk (L)/(C)/S <i>Buteo swainsoni</i>	*Vesper Sparrow (L)/C/S <i>Pooecetes gramineus</i>
*Ruby-throated Hummingbird L/C/S <i>Archilochus colubris</i>	*Red-tailed Hawk L/C/S <i>Buteo jamaicensis</i>	*LeConte's Sparrow L/C/S <i>Ammospiza leconteii</i>
Black-chinned Hummingbird (S) <i>Archilochus alexandri</i>	*Rough-legged Hawk L/C/S <i>Buteo lagopus</i>	*Nelson's Sparrow L/C/S <i>Ammospiza nelsoni</i>
Anna's Hummingbird (S) <i>Calypte anna</i>	Ferruginous Hawk (L)/(S) <i>Buteo regalis</i>	Baird's Sparrow (C) <i>Centronyx bairdii</i>
Costa's Hummingbird (S) <i>Calypte costae</i>	*Barn Owl (C)/S <i>Tyto alba</i>	*Henslow's Sparrow (L)/S <i>Centronyx henslowii</i>
Rufous Hummingbird (L)/(C)/(S) <i>Selasphorus rufus</i>	*Eastern Screech-Owl (C)/S <i>Megascops asio</i>	*Savannah Sparrow L/C/S <i>Passerculus sandwichensis</i>
Calliope Hummingbird (S) <i>Selasphorus calliope</i>	*Great Horned Owl L/C/S <i>Bubo virginianus</i>	*Song Sparrow L/C/S <i>Melospiza melodia</i>
Broad-billed Hummingbird (S) <i>Cynanthus latirostris</i>	Snowy Owl L/C/S <i>Bubo scandiacus</i>	*Lincoln's Sparrow L/C/S <i>Melospiza lincolni</i>
*Yellow Rail L/C/S <i>Coturnicops noveboracensis</i>	*Northern Hawk Owl L/C/S <i>Surnia ulula</i>	*Swamp Sparrow L/C/S <i>Melospiza georgiana</i>
Black Rail (S) <i>Laterallus jamaicensis</i>	Burrowing Owl (C)/(S) <i>Athene cunicularia</i>	Green-tailed Towhee (C)/(S) <i>Pipilo chlorurus</i>
*King Rail S <i>Rallus elegans</i>	*Barred Owl (L)/C/S <i>Strix varia</i>	Spotted Towhee (C)/(S) <i>Pipilo maculatus</i>
*Virginia Rail L/C/S <i>Rallus limicola</i>	*Great Gray Owl L/C/S <i>Strix nebulosa</i>	*Eastern Towhee (L)/C/S <i>Pipilo erythrophthalmus</i>



Checklist of the Birds of Ontario

L - Species recorded in the Lowlands Review Zone; C - Species recorded in the Central Review Zone; S - Species recorded in the South Review Zone.

() indicates the OBRC requires documentation when the species is recorded in the region.

* - Species recorded as breeding in Ontario.

*Sora L/C/S <i>Porzana carolina</i>	*Long-eared Owl L/C/S <i>Asio otus</i>	*Yellow-breasted Chat (L)/(C)/S <i>Icteria virens</i>
Purple Gallinule (L)/(C)/(S) <i>Porphyrio martinicus</i>	*Short-eared Owl L/C/S <i>Asio flammeus</i>	*Yellow-headed Blackbird (L)/C/S <i>Xanthocephalus xanthocephalus</i>
*Common Gallinule (C)/S <i>Gallinula galeata</i>	*Boreal Owl L/C/S <i>Aegolius funereus</i>	*Bobolink L/C/S <i>Dolichonyx oryzivorus</i>
*American Coot (L)/C/S <i>Fulica americana</i>	*Northern Saw-whet Owl L/C/S <i>Aegolius acadicus</i>	*Eastern Meadowlark (L)/C/S <i>Sturnella magna</i>
*Sandhill Crane L/C/S <i>Antigone canadensis</i>	*Belted Kingfisher L/C/S <i>Megasceryle alcyon</i>	*Western Meadowlark (L)/C/S <i>Sturnella neglecta</i>
Whooping Crane (S) <i>Grus americana</i>	Lewis's Woodpecker (C)/(S) <i>Melanerpes lewis</i>	*Orchard Oriole (C)/S <i>Icterus spurius</i>
*Black-necked Stilt (C)/(S) <i>Himantopus mexicanus</i>	*Red-headed Woodpecker (L)/C/S <i>Melanerpes erythrocephalus</i>	Hooded Oriole (S) <i>Icterus cucullatus</i>
*American Avocet (L)/(C)/S <i>Recurvirostra americana</i>	*Red-bellied Woodpecker (L)/C/S <i>Melanerpes carolinus</i>	Bullock's Oriole (C)/(S) <i>Icterus bullockii</i>
American Oystercatcher (S) <i>Haematopus palliatus</i>	*Yellow-bellied Sapsucker L/C/S <i>Sphyrapicus varius</i>	*Baltimore Oriole (L)/C/S <i>Icterus galbula</i>
Black-bellied Plover L/C/S <i>Pluvialis squatarola</i>	*American Three-toed Woodpecker L/C/S <i>Picoides dorsalis</i>	Scott's Oriole (C)/(S) <i>Icterus parisorum</i>
*American Golden-Plover L/C/S <i>Pluvialis dominica</i>	*Black-backed Woodpecker L/C/S <i>Picoides arcticus</i>	*Red-winged Blackbird L/C/S <i>Agelaius phoeniceus</i>
Eurasian Dotterel (S) <i>Charadrius morinellus</i>	*Downy Woodpecker L/C/S <i>Dryobates pubescens</i>	*Brown-headed Cowbird L/C/S <i>Molothrus ater</i>
*Killdeer L/C/S <i>Charadrius vociferus</i>	*Hairy Woodpecker L/C/S <i>Dryobates villosus</i>	*Rusty Blackbird L/C/S <i>Euphagus carolinus</i>
Common Ringed Plover (S) <i>Charadrius hiaticula</i>	*Northern Flicker L/C/S <i>Colaptes auratus</i>	*Brewer's Blackbird (L)/C/S <i>Euphagus cyanocephalus</i>
*Semipalmated Plover L/C/S <i>Charadrius semipalmatus</i>	*Pileated Woodpecker L/C/S <i>Dryocopus pileatus</i>	*Common Grackle L/C/S <i>Quiscalus quiscula</i>
*Piping Plover C/S <i>Charadrius melodus</i>	Crested Caracara (L)/(C)/(S) <i>Caracara cheriway</i>	Great-tailed Grackle (C)/(S) <i>Quiscalus mexicanus</i>
Lesser Sand-Plover (S) <i>Charadrius mongolus</i>	*American Kestrel L/C/S <i>Falco sparverius</i>	*Ovenbird (L)/C/S <i>Seiurus aurocapilla</i>
Wilson's Plover (S) <i>Charadrius wilsonia</i>	*Merlin L/C/S <i>Falco columbarius</i>	Worm-eating Warbler S <i>Helmitheros vermivorum</i>
Snowy Plover (C)/(S) <i>Charadrius nivosus</i>	Gyr Falcon L/C/S <i>Falco rusticolus</i>	*Louisiana Waterthrush S <i>Parkesia motacilla</i>



Checklist of the Birds of Ontario

L - Species recorded in the Lowlands Review Zone; C - Species recorded in the Central Review Zone; S - Species recorded in the South Review Zone.

() indicates the OBRC requires documentation when the species is recorded in the region.

* - Species recorded as breeding in Ontario.

*Upland Sandpiper (L)/C/S <i>Bartramia longicauda</i>	*Peregrine Falcon L/C/S <i>Falco peregrinus</i>	*Northern Waterthrush L/C/S <i>Parkesia noveboracensis</i>
*Whimbrel L/C/S <i>Numenius phaeopus</i>	Prairie Falcon (L)/(C)/(S) <i>Falco mexicanus</i>	*Golden-winged Warbler (L)/C/S <i>Vermivora chrysoptera</i>
Eskimo Curlew (L)/(S) <i>Numenius borealis</i>	Ash-throated Flycatcher (C)/(S) <i>Myiarchus cinerascens</i>	*Blue-winged Warbler (L)/(C)/S <i>Vermivora cyanoptera</i>
Long-billed Curlew (S) <i>Numenius americanus</i>	*Great Crested Flycatcher (L)/C/S <i>Myiarchus crinitus</i>	*Black-and-white Warbler L/C/S <i>Mniotilta varia</i>
Slender-billed Curlew (S) <i>Numenius tenuirostris</i>	Great Kiskadee (S) <i>Pitangus sulphuratus</i>	*Prothonotary Warbler (L)/(C)/S <i>Protonotaria citrea</i>
Black-tailed Godwit (S) <i>Limosa limosa</i>	Sulphur-bellied Flycatcher (C)/(S) <i>Myiodynastes luteiventris</i>	Swainson's Warbler (S) <i>Limothlypis swainsonii</i>
*Hudsonian Godwit L/C/S <i>Limosa haemastica</i>	Variiegated Flycatcher (S) <i>Empidonomus varius</i>	*Tennessee Warbler L/C/S <i>Leiothlypis peregrina</i>
*Marbled Godwit L/C/S <i>Limosa fedoa</i>	Tropical Kingbird (C)/(S) <i>Tyrannus melancholicus</i>	*Orange-crowned Warbler L/C/S <i>Leiothlypis celata</i>
Ruddy Turnstone L/C/S <i>Arenaria interpres</i>	Cassin's Kingbird (S) <i>Tyrannus vociferans</i>	*Nashville Warbler L/C/S <i>Leiothlypis ruficapilla</i>
Red Knot L/C/S <i>Calidris canutus</i>	Thick-billed Kingbird (S) <i>Tyrannus crassirostris</i>	Virginia's Warbler (C)/(S) <i>Leiothlypis virginiae</i>
Ruff (L)/S <i>Calidris pugnax</i>	*Western Kingbird (L)/C/S <i>Tyrannus verticalis</i>	*Connecticut Warbler L/C/S <i>Oporornis agilis</i>
Sharp-tailed Sandpiper (C)/(S) <i>Calidris acuminata</i>	*Eastern Kingbird L/C/S <i>Tyrannus tyrannus</i>	MacGillivray's Warbler (S) <i>Geothlypis tolmiei</i>
*Stilt Sandpiper L/C/S <i>Calidris himantopus</i>	Gray Kingbird (S) <i>Tyrannus dominicensis</i>	*Mourning Warbler L/C/S <i>Geothlypis philadelphia</i>
Curlew Sandpiper (L)/(S) <i>Calidris ferruginea</i>	Scissor-tailed Flycatcher (L)/(C)/(S) <i>Tyrannus forficatus</i>	Kentucky Warbler (C)/S <i>Geothlypis formosa</i>
Sanderling L/C/S <i>Calidris alba</i>	Fork-tailed Flycatcher (C)/(S) <i>Tyrannus savana</i>	*Common Yellowthroat L/C/S <i>Geothlypis trichas</i>
*Dunlin L/C/S <i>Calidris alpina</i>	*Olive-sided Flycatcher L/C/S <i>Contopus cooperi</i>	*Hooded Warbler (L)/(C)/S <i>Setophaga citrina</i>
Purple Sandpiper L/(C)/S <i>Calidris maritima</i>	Western Wood-Pewee (L)/(S) <i>Contopus sordidulus</i>	*American Redstart L/C/S <i>Setophaga ruticilla</i>
Baird's Sandpiper L/C/S <i>Calidris bairdii</i>	*Eastern Wood-Pewee (L)/C/S <i>Contopus virens</i>	*Kirtland's Warbler (C)/S <i>Setophaga kirtlandii</i>
Little Stint (L)/(S) <i>Calidris minuta</i>	*Yellow-bellied Flycatcher L/C/S <i>Empidonax flaviventris</i>	*Cape May Warbler L/C/S <i>Setophaga tigrina</i>



Checklist of the Birds of Ontario

L - Species recorded in the Lowlands Review Zone; C - Species recorded in the Central Review Zone; S - Species recorded in the South Review Zone.

() indicates the OBRC requires documentation when the species is recorded in the region.

* - Species recorded as breeding in Ontario.

*Least Sandpiper L/C/S <i>Calidris minutilla</i>	*Acadian Flycatcher S <i>Empidonax vireescens</i>	*Cerulean Warbler S <i>Setophaga cerulea</i>
White-rumped Sandpiper L/C/S <i>Calidris fuscicollis</i>	*Alder Flycatcher L/C/S <i>Empidonax alnorum</i>	*Northern Parula L/C/S <i>Setophaga americana</i>
Buff-breasted Sandpiper L/C/S <i>Calidris subruficollis</i>	*Willow Flycatcher (C)/S <i>Empidonax traillii</i>	*Magnolia Warbler L/C/S <i>Setophaga magnolia</i>
*Pectoral Sandpiper L/C/S <i>Calidris melanotos</i>	*Least Flycatcher L/C/S <i>Empidonax minimus</i>	*Bay-breasted Warbler L/C/S <i>Setophaga castanea</i>
*Semipalmated Sandpiper L/C/S <i>Calidris pusilla</i>	Gray Flycatcher (S) <i>Empidonax wrightii</i>	*Blackburnian Warbler L/C/S <i>Setophaga fusca</i>
Western Sandpiper (L)/(C)/S <i>Calidris mauri</i>	Dusky Flycatcher (C) <i>Empidonax oberholseri</i>	*Yellow Warbler L/C/S <i>Setophaga petechia</i>
*Short-billed Dowitcher L/C/S <i>Limnodromus griseus</i>	*Eastern Phoebe L/C/S <i>Sayornis phoebe</i>	*Chestnut-sided Warbler L/C/S <i>Setophaga pensylvanica</i>
Long-billed Dowitcher L/C/S <i>Limnodromus scolopaceus</i>	Say's Phoebe (L)/(C)/(S) <i>Sayornis saya</i>	*Blackpoll Warbler L/C/S <i>Setophaga striata</i>
*American Woodcock L/C/S <i>Scolopax minor</i>	Vermilion Flycatcher (S) <i>Pyrocephalus rubinus</i>	*Black-throated Blue Warbler (L)/C/S <i>Setophaga caerulescens</i>
*Wilson's Snipe L/C/S <i>Gallinago delicata</i>	*Loggerhead Shrike (L)/(C)/S <i>Lanius ludovicianus</i>	*Palm Warbler L/C/S <i>Setophaga palmarum</i>
*Spotted Sandpiper L/C/S <i>Actitis macularius</i>	*Northern Shrike L/C/S <i>Lanius borealis</i>	*Pine Warbler (L)/C/S <i>Setophaga pinus</i>
*Solitary Sandpiper L/C/S <i>Tringa solitaria</i>	Black-capped Vireo (S) <i>Vireo atricapilla</i>	*Yellow-rumped Warbler L/C/S <i>Setophaga coronata</i>
Wandering Tattler (S) <i>Tringa incana</i>	*White-eyed Vireo (C)/S <i>Vireo griseus</i>	Yellow-throated Warbler (L)/(C)/S <i>Setophaga dominica</i>
*Lesser Yellowlegs L/C/S <i>Tringa flavipes</i>	Bell's Vireo (C)/(S) <i>Vireo bellii</i>	*Prairie Warbler (L)/(C)/S <i>Setophaga discolor</i>
Willet (L)/C/S <i>Tringa semipalmata</i>	*Yellow-throated Vireo (L)/C/S <i>Vireo flavifrons</i>	Grace's Warbler (S) <i>Setophaga graciae</i>
Spotted Redshank (S) <i>Tringa erythropus</i>	*Blue-headed Vireo L/C/S <i>Vireo solitarius</i>	Black-throated Gray Warbler (S) <i>Setophaga nigrescens</i>
*Greater Yellowlegs L/C/S <i>Tringa melanoleuca</i>	Plumbeous Vireo (S) <i>Vireo plumbeus</i>	Townsend's Warbler (C)/(S) <i>Setophaga townsendi</i>
*Wilson's Phalarope L/C/S <i>Phalaropus tricolor</i>	*Philadelphia Vireo L/C/S <i>Vireo philadelphicus</i>	Hermit Warbler (S) <i>Setophaga occidentalis</i>
*Red-necked Phalarope L/C/S <i>Phalaropus lobatus</i>	*Warbling Vireo L/C/S <i>Vireo gilvus</i>	*Black-throated Green Warbler L/C/S <i>Setophaga virens</i>



Checklist of the Birds of Ontario

L - Species recorded in the Lowlands Review Zone; C - Species recorded in the Central Review Zone; S - Species recorded in the South Review Zone.

() indicates the OBRC requires documentation when the species is recorded in the region.

* - Species recorded as breeding in Ontario.

Red Phalarope L/(C)/S <i>Phalaropus fulicarius</i>	*Red-eyed Vireo L/C/S <i>Vireo olivaceus</i>	*Canada Warbler L/C/S <i>Cardellina canadensis</i>
Pomarine Jaeger L/(C)/S <i>Stercorarius pomarinus</i>	*Canada Jay L/C/S <i>Perisoreus canadensis</i>	*Wilson's Warbler L/C/S <i>Cardellina pusilla</i>
*Parasitic Jaeger L/C/S <i>Stercorarius parasiticus</i>	*Blue Jay L/C/S <i>Cyanocitta cristata</i>	Painted Redstart (S) <i>Myioborus pictus</i>
Long-tailed Jaeger (L)/(C)/S <i>Stercorarius longicaudus</i>	Clark's Nutcracker (C)/(S) <i>Nucifraga columbiana</i>	Summer Tanager (C)/S <i>Piranga rubra</i>
Dovekie (L)/(S) <i>Alle alle</i>	*Black-billed Magpie (L)/C/(S) <i>Pica hudsonia</i>	*Scarlet Tanager (L)/C/S <i>Piranga olivacea</i>
Thick-billed Murre (S) <i>Uria lomvia</i>	Eurasian Jackdaw (S) <i>Corvus monedula</i>	Western Tanager (L)/(C)/(S) <i>Piranga ludoviciana</i>
Razorbill (S) <i>Alca torda</i>	*American Crow L/C/S <i>Corvus brachyrhynchos</i>	*Northern Cardinal L/C/S <i>Cardinalis cardinalis</i>
*Black Guillemot L/(S) <i>Cephus grylle</i>	*Fish Crow S <i>Corvus ossifragus</i>	Pyrrhuloxia (S) <i>Cardinalis sinuatus</i>
Long-billed Murrelet (S) <i>Brachyramphus perdix</i>	*Common Raven L/C/S <i>Corvus corax</i>	*Rose-breasted Grosbeak L/C/S <i>Pheucticus ludovicianus</i>
Ancient Murrelet (S) <i>Synthliboramphus antiquus</i>	*Horned Lark L/C/S <i>Eremophila alpestris</i>	Black-headed Grosbeak (C)/(S) <i>Pheucticus melanocephalus</i>
Atlantic Puffin (C)/(S) <i>Fratercula arctica</i>	*Bank Swallow L/C/S <i>Riparia riparia</i>	Blue Grosbeak (C)/S <i>Passerina caerulea</i>
Black-legged Kittiwake (L)/(C)/S <i>Rissa tridactyla</i>	*Tree Swallow L/C/S <i>Tachycineta bicolor</i>	Lazuli Bunting (C)/(S) <i>Passerina amoena</i>
Ivory Gull (L)/(C)/(S) <i>Pagophila eburnea</i>	Violet-green Swallow (C)/(S) <i>Tachycineta thalassina</i>	*Indigo Bunting (L)/C/S <i>Passerina cyanea</i>
Sabine's Gull (L)/(C)/S <i>Xema sabini</i>	*Northern Rough-winged Swallow (L)/C/S <i>Stelgidopteryx serripennis</i>	Varied Bunting (S) <i>Passerina versicolor</i>
*Bonaparte's Gull L/C/S <i>Chroicocephalus philadelphia</i>	*Purple Martin (L)/C/S <i>Progne subis</i>	Painted Bunting (L)/(C)/(S) <i>Passerina ciris</i>
Black-headed Gull (L)/S <i>Chroicocephalus ridibundus</i>	*Barn Swallow L/C/S <i>Hirundo rustica</i>	*Dickcissel (L)/C/S <i>Spiza americana</i>
*Little Gull L/(C)/S <i>Hydrocoloeus minutus</i>	*Cliff Swallow L/C/S <i>Petrochelidon pyrrhonota</i>	